



THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appn. Serial No.: 09/882,509
Filing Date: June 15, 2001
Applicant(s): KUPPUSAMY et al.

Attorney Docket No.: 51321.003
Group Art Unit: 1614
Examiner: Unknown

IFW Booseq Image 1652



Title: RECOMBINANT STREPTOKINASE

**TRANSMITTAL OF "SEQUENCE LISTING" OF
APPLICATION UNDER 37 C.F.R. §§ 1.821-1.825**

U.S. Patent and Trademark Office
2011 South Clark Place
Customer Window, Mail Stop Sequence
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

To the Commissioner:

In response to the CRF Problem Report which was facsimile transmitted on December 1, 2003, enclosed are the following documents for filing with the above-referenced U.S. Patent Application:

1. Sequence Listing in paper copy and computer readable form
2. Statement that "Sequence Listing" and Computer Readable Copy Are The Same and Include No New Matter
3. Copy of CRF Problem Report

The Commissioner is hereby authorized to charge any additional fees or credit any overpayment to Deposit Account No. 18-2055.

Having now complied with all of the requirements of 37 C.F.R. §§1.821-1.825 Applicants respectfully request that this application be placed upon the files for examination.

Respectfully submitted,

Joseph T. Leone, Reg. No. 37,170
DEWITT ROSS & STEVENS S.C.
US Bank Building
8000 Excelsior Drive, Suite 401
Madison, Wisconsin 53717-1914
Telephone: (608) 831-2100
Facsimile: (608) 831-2106

I hereby certify that this correspondence is being deposited with Federal Express in an envelope addressed to:

U.S. Patent and Trademark Office
2011 South Clark Place
Customer Window, Mail Stop Sequence
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Federal Ex. No.: 791725520664

Date of Deposit: 12-2-03

Signature:

BIOTEC DLOGY
SYS MS
BRANCH



RF Problem Report

The Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

Application Serial Number: 09/232,507A
Filing Date: 6/15/2001
Date Processed by STIC: 5/9/02

STIC Contact: Mark Spencer, 703-308-4212

Nature of Problem:

The CRF (was):

(circle one) Damaged or Unreadable (for Unreadable, see attached)
 Blank (no files on CRF) (see attached)
 Empty file (filename present, but no bytes in file) (see attached)
 Virus-infected. Virus name: _____ The STIC will not process the CRF.
 Not saved in ASCII text
 Sequence Listing was embedded in the file. According to Sequence Rules,
submitted file should **only** be the Sequence Listing.
 Did not contain a Sequence Listing. (see attached sample)
 Other:

RECEIVED
MAY 28 2002
OFFICE OF PETITIONS

RECEIVED
JUN 05 2002
OFFICE OF PETITIONS

PLEASE USE THE CHECKER VERSION 3.1 PROGRAM TO REDUCE ERRORS.

SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.
Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.
Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>), EFS Submission User Manual - ePAVE)
1. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
1. Hand Carry directly to:
U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name,
Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
Or
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two,
2011 South Clark Place, Arlington, VA 22202
1. Federal Express, United Parcel Service , or other delivery service to: U.S. Patent and Trademark Office,
Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002